

dureco
FLOOR



The robust water-stop floor.

Healthy living and sustainable: over 90 % organic.

||| ter Flürne



A11 Oak indian brown*
plank
linear brushed
matt

A decision for quality.

As a German family-owned business from the Münster region, for over 60 years now we have dedicated ourselves to developing products that are sustainable and conducive to healthy living, while setting the highest standards in terms of function and aesthetics.

Taking nature as our example, we use our passion, expertise and flair for good design to create floors that bring together the latest designs and sophisticated technology combined with maximum resource efficiency for our shared environment.

*Wood/stone reproduction. Colour reproductions are not binding.



24 h water stop – *fit for real life*

Everyone knows the little mishaps of daily life. The glass of water that is knocked over, the dog running in from the garden with dirty paws, or the dripping raincoat after a walk in the rain — dureco is ideally prepared for these situations.

The SEAL technology protects the floor against water laying on the surface for a period of up to **24 hours**. It prevents

swelling and the appearance of the floor remains unaffected. Due to its robust wear layer and the ability to resist water, dureco meets almost every challenge of daily life without sacrificing any of its beauty. One thing less to worry about and more time for the important things in life.

24-hour water-stop protection — thanks to SEAL technology

1 SmartConnect Pro



SmartConnectPro is the quick and secure click connection for a lastingly beautiful floor. The special design of the profile reduces the penetration of liquids and provides additional moisture protection.


2 ExtremeDense

ExtremeDense is the name of the technology behind the extremely high-density wood-based baseboard — the heart of dureco floor. The wood fibres are compressed together so tightly as to provide maximum protection against moisture penetration.

3 AllroundSafe

AllroundSafe protects each individual plank with a special new formula for sealing the edges, to stop moisture on the surface and bevels before it can penetrate the interior of the floor.

4 LongLifeSurface



LongLifeSurface is the protective layer which is applied in several steps to the surface of the floor. The floor surface gains its durability and water resistance from the addition of the corundum, a natural mineral from the same family as sapphire.



Corundum is a natural and abundant mineral from the sapphire family. It has a value of 9 on the Mohs hardness scale*. Only diamond is harder, with a value of 10. The high degree of abrasion resistance and temperature stability make corundum the ideal component for everything that is subjected to stress.

(*A reference scale created by Friederich Mohs for determining the hardness of materials)





plastic free – *a contribution to the climate*

Our responsibility. For the dureco floor, we use wood from certified sustainable forestry. This is confirmed by the PEFC certificate, which all dureco floors have been awarded. The careful selection of the growing regions and the trees that grow there are crucial for the high quality standards of ter Hürne. The principle of sustainable economic and resource-saving trade is a fundamental part of our philosophy and extends to all areas and processes of our company.

In addition, a considerable part of the wood material used for baseboard production today is already manufactured from trees, which can no longer be used for furniture or hardwood flooring; for example, due to storm damage.



Your health is important to us

Health is our greatest asset. For this reason, we bear a great responsibility, because we create products you live with every day. They are an important part of your home, it's where you and your loved ones should feel well looked after. We at ter Hürne therefore attach the greatest importance to the fact that you and your family can live with our floors with confidence and being assured of natural healthy living. With a dureco floor you are making a good choice for your health.



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

1 Top Layer

Surface sealing wear layer made of a resin bond corundum coating.

2 Design layer

Decorative design layer made of wood fibre.

3 Baseboard

Baseboard made of wood fibre that is compressed into extremely high density.


4 Backing layer

Stabilising layer made of wood pulp.



One **cubic metre of wood** stores one tonne of CO₂. By choosing a dureco floor, you are making an active contribution to climate protection, because our floor is mostly made of wood. The wood contained in the product stores the CO₂ absorbed by the tree right up until it is actually burned. Added to that, for every tree used for production, more trees will be planted, which in turn will store CO₂ during their lifetime. That is why we have given dureco the title of being a **climate-positive floor**.

Healthy living and sustainable:
over 90 % organic.





A01 Pine antique silver
plank
linear brushed
matt

1285 x 192 x 12 mm

CLASSIC LINE



A01

Pine antique silver
plank
linear brushed
matt

Art.-No.:1101260002
1285 x 192 x 12 mm



A03

Oak moon grey
plank
register embossed/fine brushed
matt

Art.-No.:1101260005
1285 x 192 x 12 mm



A02

Oak alabaster
plank
linear brushed
matt

Art.-No.:1101260001
1285 x 192 x 12 mm



A04

Oak velvet grey
plank
linear brushed
matt

Art.-No.:1101260003
1285 x 192 x 12 mm



Oak almond brown
plank
linear brushed
matt

Art.-No.: 1101260009
1285 x 192 x 12 mm



Oak taupe grey
plank
register embossed/fine brushed
matt

Art.-No.: 1101260007
1285 x 192 x 12 mm



Oak nordic beige
plank
linear brushed
matt

Art.-No.: 1101260006
1285 x 192 x 12 mm



Oak rustic grey
plank
register embossed/fine brushed/sculptured
matt

Art.-No.: 1101260004
1285 x 192 x 12 mm



Oak ambergris grey
plank
linear brushed
matt

Art.-No.:1101260008
1285 x 192 x 12 mm



Oak indian brown
plank
linear brushed
matt

Art.-No.:1101260011
1285 x 192 x 12 mm



Oak shadow grey
plank
linear brushed
matt

Art.-No.:1101260015
1285 x 192 x 12 mm



Oak sahara beige
plank
smooth
matt

Art.-No.:1101260010
1285 x 192 x 12 mm



Oak chamois
plank
register embossed/fine brushed/sculptured
matt

Art.-No.:1101260013
1285 x 192 x 12 mm



Oak Bordeaux brown
plank
register embossed/fine brushed/sculptured
matt

Art.-No.:1101260014
1285 x 192 x 12 mm



Oak roman brown
plank
linear brushed
matt

Art.-No.:1101260012
1285 x 192 x 12 mm




Oak Cuba brown
plank
register embossed/fine brushed
matt

Art.-No.:1101260016
1285 x 192 x 12 mm



B03 Stone titanium grey
natural stone
fine pored
matt



STONE LINE



Stone edelweiss
natural stone
fine pored
matt

Art.-No.:1101260017
635 x 327 x 12 mm



Stone titanium grey
natural stone
fine pored
matt

Art.-No.:1101260019
635 x 327 x 12 mm



Stone star grey
natural stone
fine structured
matt

Art.-No.:1101260018
635 x 327 x 12 mm




Stone manganese grey
natural stone
register embossed/fine structured
matt

Art.-No.:1101260020
635 x 327 x 12 mm

Technical properties

The appeal and colours of our dureco designs are the most visible signs of the ter Hürne quality standards. But behind them are even more remarkable characteristics that perfect the function of the floors.





SEAL TECHNOLOGY
water stop guarantee

SEAL-Technology
24 h water stop guarantee



20 years
domestic usage

20 years warranty
(domestic usage)

WARRANTY



5 years
commercial usage

5 years warranty
(commercial usage)

WARRANTY




ANTI-STATIC

Anti-static




ANTIBACTERIAL

Antibacterial




UNDERFLOOR HEATING SYSTEM

Suited for underfloor heating
Suitable for warm water and electric* underfloor heating systems.



SMART CONNECT PRO

SmartConnect Pro connection
Install like a pro:
simple, fast, safe.



Non-slip and flame resistant.




* For electric surface heating systems with gentle warm-up technology and temperature control unit.

Surface structures

Seeing and feeling must be brought in line to create what is needed: a perfect combination in perfect harmony.

The ter Hürne dureco range features seven different surface structures which make the floor come alive and emphasise the effect of the decor in various ways.

- 01** Structure | smooth | matt
- 02** Register embossed | fine brushed | matt
- 03** Structure | fine pored | matt
- 04** Register embossed | fine brushed/sculptured | matt
- 05** Structure | linear brushed | matt
- 06** Register embossed | fine structured | matt
- 07** Structure | fine structured | matt



Accessories — perfectly matched

Because your floor deserves it.

What constitutes a perfectly installed floor? On one hand, it looks beautiful and on the other — and you only notice this over time — it stands out due to its durability. To achieve this, what you mainly need are the right accessories— both before and after the installation. Our underlay material and care products are perfectly matched to the specifications of our floors, significantly increasing their durability, appearance and feel.

And with our functional transition profiles and decorative skirtings you will achieve the perfect finishing touches.



Underlay material



Metal profiles



Care and maintenance





Skirtings



Digital design – experience dureco floor virtually

Try the room studio

Go ahead and start your virtual installation: www.terhuerne.de/roomstudio



Produktinformation

BODEN

A03 Eiche mondgrau
natl.
Länderscheit
DURECO
CLASSIC LINE

• Produktvariante

Produkt-details

Artikelnummer: 1101260005

Produktgruppe:	Dureco	Weitere Produktmerkmale:	Ja
Bezeichnung:	Eiche mondgrau	Fuge:	V-Fuge umlaufend
Profil/Ausführung:	Länderscheit	Verbindungstechnik:	SmartConnect Pro
Oberflächenstruktur:	synthetisch-gegründet	Garantie (Jahre):	30
Glanzgrad:	mat	Oberflächen-Hr./Dekor:	2805
Datenmaße:	Stärke (mm): 12	Verpackung:	Inhalt pro Karton (Stück): 8
	Länge (mm): 1385		Inhalt pro Karton (qm): 1,48
	Breite (mm): 192		Gewicht pro Karton (kg): 19,8

• Aktuelle Kombination merken

• Menge berechnen

Unverbindliche Preisbildung, *Hr./Bodenverklebung

CONTACT

ter Hürne GmbH & Co. KG | Ramsdorfer Str. 5
46354 Südlohn · Germany
Phone: +49 2862 701-313
www.terhuerne.com

2021.11 | 1101160780 | GB | S.2020.03 | Subject to alteration - Printed on ecologically friendly paper.

ter Hürne